Datasheet for ABIN527651

anti-INTS9 antibody (AA 1-658)

1 Image

Go to Product page

Overview

Quantity:	50 µL
Target:	INTS9
Binding Specificity:	AA 1-658
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Application:	Western Blotting (WB)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human RC74 protein.
Immunogen:	RC74 (AAH25267.1, 1 a.a. ~ 658 a.a) full-length human protein.
Sequence:	MKLYCLSGHP TLPCNVLKFK STTIMLDCGL DMTSTLNFLP LPLVQSPRLS NLPGWSLKDG NAFLDKELKE CSGHVFVDSV PEFCLPETEL IDLSTVDVIL ISNYHCMMAL PYITEHTGFT GTVYATEPTV QIGRLLMEEL VNFIERVPKA QSASLWKNKD IQRLLPSPLK DAVEVSTWRR CYTMQEVNSA LSKIQLVGYS QKIELFGAVQ VTPLSSGYAL GSSNWIIQSH YEKVSYVSGS SLLTTHPQPM DQASLKNSDV LVLTGLTQIP TANPDGMVGE FCSNLALTVR NGGNVLVPCY PSGVIYDLLE CLYQYIDSAG LSSVPLYFIS PVANSSLEFS QIFAEWLCHN KQSKVYLPEP PFPHAELIQT NKLKHYPSIH GDFSNDFRQP CVVFTGHPSL RFGDVVHFME LWGKSSLNTV IFTEPDFSYL EALAPYQPLA MKCIYCPIDT RLNFIQVSKL LKEVQPLHVV CPEQYTQPPP AQSHRMDLMI DCQPPAMSYR RAEVLALPFK RRYEKIEIMP ELADSLVPME IKPGISLATV SAVLHTKDNK HLLQPPPRPA QPTSGKKRKR VSDDVPDCKV LKPLLSGSIP VEQFVQTLEK HGFSDIKVED TAKGHIVLLQ EAETLIQIEE DSTHIICDND EMLRVRLRDL VLKFLQKF

Copyright antibodies-online. All rights reserved.

Product Details

Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details

Target:	INTS9
Alternative Name:	INTS9 (INTS9 Products)
Background:	Full Gene Name: integrator complex subunit 9 Synonyms: CPSF2L,FLJ10871,INT9,RC-74,RC74
Gene ID:	55756

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	No additive
Preservative:	Without preservative
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of INTS9 expression in transfected 293T cell line by INTS9 MaxPab polyclonal antibody.

Lane 1: RC74 transfected lysate(72.38 KDa).

Lane 2: Non-transfected lysate.