



[Go to Product page](#)

Datasheet for ABIN94626
anti-WECC antibody

1 Image

Overview

Quantity:	100 µg
Target:	WECC
Reactivity:	Pseudomonas
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This WECC antibody is un-conjugated
Application:	ELISA

Product Details

Immunogen:	N-Acylmannosamine-1-Dehydrogenase [Pseudomonas] Immunogen type: Native
Isotype:	IgG
Characteristics:	Concentration Definition: by UV absorbance at 280 nm
Purification:	Antiserum

Target Details

Target:	WECC
Alternative Name:	N-Acylmannosamine-1-Dehydrogenase (WECC Products)
Background:	Synonyms: N-acylmannosamine 1-dehydrogenase NAM-DH EC=1.1.1.233
Gene ID:	7614553

Target Details

UniProt: [P22441](#)

Application Details

Application Notes: N-ACYLMANNOSAMINE-1-DEHYDROGENASE Antibody has been assayed against 1.0 µg of N-Acylmannosamine-1-Dehydrogenase [*Pseudomonas*] in a standard sandwich ELISA using Peroxidase conjugated Affinity Purified anti-Goat IgG [H&L] Rabbit) (ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid])) as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:5,000 of the reconstitution concentration is suggested for this product.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Restore with deionized water (or equivalent)

Concentration: 10.0 mg/mL


Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Images



Western Blotting

Image 1. Goat anti N-acylmannosamino-1-Dehydrogenase antibody was used to detect purified N-acylmannosamino-1-Dehydrogenase under reducing (R) and non-reducing (NR) conditions. Reduced samples of purified target proteins contained 4% BME and were boiled for 5 minutes. Samples of ~1µg of protein per lane were run by SDS-PAGE. Protein was transferred to nitrocellulose and probed with 1:3000 dilution of primary antibody (ON 4 C in ABIN925618).

Detection shown was using Dylight 488 conjugated Donkey anti goat (605-741-125 lot 21094 1:10K in TBS/ABIN925618 1 hr RT). Images were collected using the BioRad VersaDoc System.